



**Opioid Moderatism and Rapprochement:
The Search for a Sane Middle Ground**

Michael E. Schatman, PhD

Disclosures

Michael E. Schatman, PhD
Department of Public Health & Community Medicine
Tufts University School of Medicine
Director of Research and Network Development
Boston

- Consultant/Independent Contractor, Speakers Bureau: kaléo



Learning Objectives

- Identify 5 or more causes of the prescription opioid crisis
- Develop a comprehensive and consistent opioid risk mitigation platform
- Distinguish between ethical and unethical opioid tapering



History of the "Opioid Crisis"

- Where and how did this mess start?
- EVERYONE seems to have a different opinion...
- Too many people are too anxious to blame it on a single cause...
- Some are denying that we ever had a prescription opioid crisis
- And some are suggesting that prescription opioid mortality is still a significant problem

Schatman ME, Ziegler SJ. J Pain Res. 2017;10:2489-2495.



History of the "Opioid Crisis" (cont'd)

- SIMPLE ANSWERS TO COMPLEX QUESTIONS FROM THOSE WITH SIMPLE MINDS...
- Numerous causes:
 - Unscrupulous marketing
Van Zee A. Am J Public Health. 2009;99(2):221-227.
 - Kickback schemes
US Attorney's Office District of Massachusetts. Pharmaceutical executives charged in racketeering scheme. Available at <https://www.justice.gov/usao-pa/with-pharmaceutical-executives-charged-racketeering-scheme>
 - Lucrative compensation for speaking as an incentive to prescribe
Hatland SE, et al. Am J Public Health. 2017;107(9):1493-1495.
 - Promotion of off-label use
Burns SM, et al. ACS Chem Neurosci. 2018. doi: 10.1021/acscchemneuro.8b00174. [Epub ahead of print].



Causes of the Opioid Crisis

- "Pill mills"
Pardo B. Addiction 2017;112(10):1773-1783.
- Unrealistic expectations regarding complete relief of pain
Peterson BL. Acad Forensic Pathol. 2017;7(1):vi-ix.
- State medical boards curtailing restrictions on prescribing opioids for noncancer pain
Manchikanti L, et al. Pain Physician 2012;15(3 Suppl):E59-86.
- Patient surveys including satisfaction with pain relief
Fischer A. Ann Health Law 2013;25:97-108.
- Increased availability of prescription opioids on the internet
Forman RF. JAMA 2003;290:889.
- Providers' failure to adequately identify and monitor misuse and overuse
Deysa RA, et al. J Am Board Fam Med 2011; 24:717-727.



History of the Opioid Crisis

- The list is hardly exhaustive
- Recent analysis: "The root causes of the modern opioid crisis are complex and traceable to at least 30 or more factors"
Madras BK. Clin Pharmacol Ther. 2018;103(6):943-945.
- Some absolutely ridiculous
 - eg, Pharmaceutical industry lobbying was responsible for pain becoming monitored as the "5th vital sign"
Franklin GM. Neurology. 2014;83(14):1277-1284.
- Most efforts to curb the prescription opioid crisis have been rather...draconian



Earliest Effort

- 2001: Problems of Drug Dependence's (CPDD) Taskforce on Prescription Opioid Abuse
 - Report emphasized that "...the need to control and reduce abuse, diversion, and trafficking of opioid analgesics must be balanced against the need for physicians and patients to have access to licit opioids for the treatment of pain"
Zacny J, et al. Drug Alcohol Depend. 2003;69(3):215-232.
- Balancing responsibility to reduce human suffering with societal obligation seemed like a simple concept...
- So...what happened?



Washington State

- 2005: Washington State's Medical Director of workers compensation began his war on opioids
 - Found a positive correlation between high dosage opioids and overdose death in workers comp patients
Franklin GM, et al. Am J Ind Med. 2005;48(2):91-99.
 - Developed an "educational" opioid prescribing guideline in 2007, followed by a "recommended" guideline in 2010 and an updated guideline in 2015
- Washington State Agency Medical Directors' Group. Interagency guideline on opioid dosing for chronic noncancer pain: an educational pilot to improve care and safety with opioid treatment. March, 2007.
Available at: http://www.dli.wa.gov/PDF/references/A16_WA_opioid_guideline.pdf
Washington State Agency Medical Directors' Group. Interagency guideline on opioid dosing for chronic non-cancer pain: an educational aid to improve care and safety with opioid therapy. 2010;update. Available at: <https://www.wahealthcare.org/medialibrary/assets/001/wa%20med%20dir%20interagency%20update%202010%209.pdf>
- Washington State Agency Medical Directors' Group (AMDG) in collaboration with an Expert Advisory Panel, Actively Practicing Providers, Public Stakeholders, and Senior State Officials. Interagency guideline on prescribing opioids for pain. 3rd Edition, June 2015. Available at: <http://www.waagencymedicaldirectors.org/files/2015endopioioidguideline.pdf>



Washington State (cont'd)

- The Guideline Writing Committees played "fast and hard" with the truth
 - Data misinterpreted
 - Data "created" ("false narrative," "alternative facts")
 - Progressively more draconian
 - Group-think phenomenon
 - Dissention was not tolerated
- And then they went national...
- And the 2016 CDC Guideline was born...



Efforts to Curb the Prescription Opioid Crisis

- Erroneously, patients (and prescribers) put the blame for "the pendulum swinging awry" on the 2016 CDC Guideline

Amson P. Survey: Opioids Reduced or Stopped for Most Patients, 2018. Available from: <https://www.painnewsnetwork.com/stories/2018/04/survey-cdc-guideline-for-reduced-for-most-patients>

- The process of developing the guideline was problematic
 - Secretive
 - Nonresponsive to stakeholders
 - Committee dominated by PROP

Schatman ME, Ziegler SJ. J Pain Res. 2017;10:2489-2495.



Efforts to Curb the Prescription Opioid Crisis (cont'd)

- Yet, many of us who see ourselves as patient advocates note that the guideline itself has its strengths
 - Should prescribers not think twice prior to increasing dosages beyond 90 MEDD?
 - The recommendations are presented as "voluntary, rather than prescriptive standards"

Dowell D, et al. MMWR Recomm Rep. 2016;65(1):1-49.

- Recently, referred to as a "nuanced, patient-centric view on opioid prescribing"

Cohen J. The importance of patient-centric opioid prescribing guidelines. Forbes, January 23, 2019.



Efforts to Curb the Prescription Opioid Crisis (cont'd)

- Is the guideline the problem, or is it the weaponization of the guideline?
- AMA's 2016 response:
 - "The CDC recommendations also have the potential to cause confusion in light of institutional or state policies... We are concerned that insurers and other payers will use the recommendations to deny or impose new hurdles to coverage of any dose that exceeds the CDC's recommended thresholds. We are concerned that pharmacies will be under pressure to deny prescriptions that exceed those thresholds..."

Harris PA. Am Fam Physician. 2016;93(12):975.



Efforts to Curb the Prescription Opioid Crisis (cont'd)

- And so it has come to pass...
- State medical board opioid guidelines discourage clinicians from prescribing opioid dosages higher than the CDC guideline thresholds
 - Federation of State Medical Boards Guidelines for the Chronic Use of Opioid Analgesics. 2017. Available at: https://www.fsmb.org/~/media/boards/chronicopioidguidelines_en_adopted_may2017_final.pdf
- And the results?
 - Recent study: Internet-based survey found that CPPs tapered (involuntarily) from ER/LA opioids reported decreased pain control and diminished function

Twiltman RK, et al. J Pain Res. 2018;11:2769-2779.



Efforts to Curb the Prescription Opioid Crisis (cont'd)

- Internet-based studies of CPPs from a patient-advocacy group are likely to be rife with selection bias issues...
- 2018 study of patients on high-dosage opioids voluntarily tapered from a median of 288 mg to 150 mg in 4 months demonstrated no increase in pain levels
 - That the drop out rate was 38% needs to be considered
- 2019 study of patients tapered $\geq 20\%$ (primarily involuntarily, but with psych assist) reported no increase in pain or decrease in function

DiBenedetto DJ, et al. Pain Med. 2019[Epub ahead of print].



Efforts to Curb the Prescription Opioid Crisis (cont'd)

- So, whom to believe?
- Populations varied from study to study
- Approaches to tapering varied as well
- Methodologies inconsistent between studies
- What about "outliers"?
- Likely answer: Those CPPs tapered in a patient-centered manner (eg, voluntarily, with psychological assistance) are likely to fare better than those rapidly tapered involuntarily
- The former approach is consistent with the CDC Guideline
- And consistent with the spirit of opioid moderatism!



But the CDC Guideline Has Been Bastardized...



Examples of Draconian State Laws

- By the end of 2017:
26 states had passed laws that impose mandatory limits on initial prescriptions for acute pain
Davis CS, et al. Drug Alcohol Depend. 2019;194:166-172.
- 2018 Florida law: limits prescription for acute pain to 3-day supply
Controlled Substances, Florida HB 21 (2018), 2018-13. Available at: <http://www.myfloridalegal.com/Sections/Bills/billdetail.aspx?BillID=40126>.
- Similar law in place in Kentucky
201 KAR 9:260. Professional standards for prescribing and dispensing controlled substances. Available at: <http://www.lrc.state.ky.us/kar/2011009260.pdf>.



Draconian State Laws

- Ohio and Rhode Island: 30 MEDD maximum for acute pain
State of Ohio Board of Pharmacy. For Prescribers - New Limits on Prescription Opioids for Acute Pain. Available at: <https://www.ohio.gov/newsroom/documents/ohio-social-contraindication-limits-on-prescription-opioids-for-acute-pain>
- State of Rhode Island Department of Health. Safe Opioid Prescribing. Available at: <http://health.ri.gov/healthcare/medicine/about/safeopioidprescribing/#apain>.
 - A regulatory approach that takes into account prescriber intent and patient-specific factors that influence prescribing is likely more effective than a strict limitation on the amount or duration of opioid prescribingMundkur ML, et al. Subst Abuse 2017;38:239-238.
 Samet JH, Kertesz SG. JAMA Network Open 2018;1(2):e180218.



Draconian State Laws (cont'd)

- Unintended consequences for low income patients – transportation issues, more frequent office visits resulting in additional co-pays
Grol-Prokopczyk H. Pain 2017;158:313-322.
- Potential to drive some patients to the black market – illicit fentanyl and its analogues
Barnett ML, et al. N Engl J Med. 2017;377:2306-2309.
- Is there any evidence that the benefits of such policies justify the potential risks and consequences?



Draconian State Laws – Chronic Pain

- Indiana – After 3 months of just 15 MEDD, a “trigger” necessitating that prescribers alter their standard prescribing practices goes into effect
Indiana Administrative Code, Title 844, 5-6-3 Triggers for imposition of requirements; exemptions. Available at: <http://www.in.gov/legislative/iac/844-5-6-3-2017>
- Nebraska – Pharmacies now reject scripts for more than 150 doses of a short-acting opioid
Nebraska gov. Gov. Ricketts Approves Major Opioid Abuse Prevention Measure. Available at: <https://governor.nebraska.gov/newsroom/ricketts-approves-major-opioid-abuse-prevention-measure>
- Might as well go after the financially-disadvantaged chronic pain patients...



Draconian State Laws – Chronic Pain (cont'd)

- Duration of action of IR opioids can be as brief as 2 hours
Lam LH, et al. J Clin Pharmacol. 2016;56(7):785-793.
- Should rapid metabolizers spend half of their day in potentially excruciating pain?
- Nevada – If a patient needs more than 90 days of opioid therapy, he/she must undergo blood and radiology tests to determine the cause of the pain
 - “Conduct an investigation, including, without limitation, appropriate hematological and radiological studies, to determine an evidence-based diagnosis for the cause of the pain”

NV Assembly Bill No. 474-Committee on Health and Human Services. Available at: https://doctors.com/wp-content/uploads/AB474_BILLFINAL.pdf



Draconian State Laws

- If most chronic pain is maldynic, such testing is going to tell us what?!?!?!
 - Seems like an invitation to create a false narrative...
- And the list goes on and on...
- Yet state legislators and medical boards are not the only culprits here
- We really can't ignore the role of healthcare insurers



Insurers and Pain Treatment

- Health insurers were certainly partially to blame for the prescription opioid crisis of the previous decade
 - By limiting safer evidence-based treatments such as interdisciplinary pain programs and PT generally, they left physicians with few options OTHER than opioids
- Schatman ME. Pain Med. 2011;12:415-426.
Loeser JD, Schatman ME. Postgrad Med. 2017;129:332-335.
Schatman ME. The demise of interdisciplinary chronic pain management and its relationship to the scourge of prescription opioid diversion and abuse. In: Peppin J, Coleman J, Dineen KK, Ruggles A (eds.). Pain and Prescription Drug Diversion: Healthcare, Law Enforcement, and Policy Perspectives. New York: Oxford University Press, 2018:204-218.
-And years of refusing to pay for ADF of opioids certainly didn't help matters
Schatman ME, Webster LR. J Pain Res. 2015;8:153-158.



Insurers and Pain Management

- Insurers' "about face" regarding opioids is laughable
 - Was it about "concern" for the well-being of pain patients?
 - Was it about cost-containment and profitability associated with the high costs of insuring patients on opioids?
- Kern DM, et al. Am J Manag Care. 2015;21(10):e222-234.
- Recent study demonstrates that insurers are still "inconsistent" in coverage for nonpharmacologic therapies
- Heyward J, et al. JAMA Netw Open. 2018;1(8):e183044.
- If they're not paying for opioids and not paying for nonpharmacologic, evidence-based treatments, for what ARE they paying?!?!



Insurers and Pain Management (cont'd)

- This in light of data demonstrating that early PT is associated with less long-term opioid dependence
- Sun E, et al. AMA Netw Open. 2018;1(8):e185909.
- And its not just the for-profit private insurers...
 - Medicare's 90 MED hard limit almost became a reality
 - Currently surpassing 90 MED requires a consult between the pharmacist and the prescriber
 - Likely to have a "chilling effect"
 - Potentially puts the pharmacist and the prescriber in a confrontational situation
- Sullivan J. Practical Pain Manage. January 14, 2018. Available at <https://www.practicalpainmanagement.com/patient-resource-centers/chronic-pain-management-guide/medicare-file-will-create-new-challenge>.



Insurers and Pain Management (cont'd)

- Oregon – almost eradicated opioid analgesia for Medicaid patients altogether
 - State backed off at the last minute
- Terry L. The Lund Report, December 5, 2018. Available at <http://www.thebundreport.com/content/oregon-backs-oidiop-entire-chronic-pain-patients-addy-010-01-2018-0001>.
- Veterans Health Administration – insures over 9 million vets
- US Department of Veterans Affairs. About VHA. Available at <http://www.va.gov/about-the-va/>.
- From 2012-2017, decreased the ratio of patients prescribed an opioid to those patients prescribed any medication by 41%
- United States Department of Veterans Affairs Office of Public and Intergovernmental Affairs. VA becomes first hospital system to release opioid prescribing rates. Available at <https://www.va.gov/opa/pressrel/pressrelease.cfm?id=3287>.



Insurers and Pain Management (cont'd)


– This drastic reduction compares to a 22% reduction in the general population from 2013-2017

American Medical Association. American Medical Association Opioid Task Force 2018 Progress Report Available at: <https://www.ama-assn.org/practicing/advocacy/pain/2018-05-01-ama-2018-opioid-report-final-updated.pdf>

- The VHA has attempted to counterbalance the drastic reduction in opioids for chronic pain by developing interdisciplinary pain management programs
- Murphy J, Schatman ME. Interdisciplinary chronic pain management: Overview and lessons from the public sector. In: Ballantyne JC, Fishman SM, Rathmel JP (eds.). *Basics of Management of Pain*, 5th Edition. Philadelphia: Lippincott, Williams & Wilkins, 2013:709-114.
- Limited funding has resulted in development in a very limited number of these programs



Combating “Collateral Damage”



- 2013 – Those of us in policy had seen that the prescribing pendulum had already begun to swing awry...
- Schatman ME, Darnall BD. A pendulum swings awry: seeking the middle ground on opioid prescribing for chronic non-cancer pain. *Pain Med.* 2013;14:617-620.



Combating “Collateral Damage” (cont'd)

“Virtually, everyone agrees that some patients with chronic pain benefit from opioid therapy, while some (likely many) patients do not; society and all patients may be best served by physicians’ judicious consideration of a dichotomous question for opioid prescribing—“yes vs no,” rather than “how much?” And for the time being, that dichotomous question is a medical consideration that appropriately stands outside the scope of legislation”

- So much for our warning....



Combatting "Collateral Damage" (cont'd)

- We followed up by suggesting that a big part of the answer was to provide mandatory pain education to those treating pain
 - Primary care docs, in particular, didn't appreciate our suggestion
 - Earlier study: half of all PCPs said they would discontinue opioid prescribing if they had to avail themselves of opioid education or were compelled to provide patient education

Schatman ME, Darnall BD. "Just Saying No" to mandatory pain CME: how important is physician autonomy? Pain Med. 2013;14:1821-1825.
 Cain J. Mandatory CME on opioid prescribing fails to address true causes of prescription drug abuse. Pain Med. 2013;14: 1821-1822.
 Stevin KA, Ashburn MA. J Opioid Manag. 2011;7:109-115.



Combatting "Collateral Damage" (cont'd)

- Next, we tried to get pharmacists onboard
 - "...the [FDA's] recent response to a strongly anti-opioid organization's petition to further impede opioid prescription was encouraging"
 - The then President of the group was unhappy with me
 - Demanded a redaction
 - Denied be anti-opioid
 - Threatened suit
 - Threatened to report me to the journal's Editor-in-Chief

Atkinson TJ, Schatman ME, Fudin J. The damage done by the war on opioids: the pendulum has swung too far. J Pain Res. 2014;7:265-268.



Combatting "Collateral Damage" (cont'd)

- The media began to "pile on" against opioid analgesia
 - "If it bleeds, it leads"
 - Few would argue that the American opioid crisis is not "bloody"
 - The media was a central player in the "war on opioids" – including that against manufacturers, prescribers, and patients

Pitts PJ. J Commer Biotechnol. 2014;20(3):3.
 Schweighardt AE, et al. Ann Pharmacother. 2014;48: 1362-1365.
 Wilbers LE. Humanity Society. 2015;39:86-111.
 Schatman ME. J Pain Res. 2015;8:885-887.



The Media Influence on Prescribing

- May 27-28, 2016 (24-hour) Google News search for "opioid"
 - 75 stories yielded
 - Every story included some combination of the words "abuse," "addiction," "overdose," and "epidemic"
 - Not a single "feel-good" story
 - The closest found was entitled, "As Overdose Deaths Increase, So Do Life-Saving Organ Donations"
- Nilsen E. Concord Monitor, May 7, 2016.



Bringing the Pendulum to the Center

- Certainly represents a challenge, as American society is "binary," "pendulumistic," "absolutist"
- Likierman EL, et al. American moral exceptionalism. In: Just JT, et al. (eds.). Social and Psychological Bases of Ideology and System Justification (pp. 27-52). New York: Oxford University Press, 2009.
- Patients, providers, insurers, hospital corporations, regulatory agencies, the media – so many stakeholders!
 - All seem to establish themselves as either "anti-opioid" or "pro-opioid"
 - The answer lies in the need to become "pro-patient" instead
 - And healthcare providers need to lead the way
- Schatman ME, et al. J Pain Res. 2019;12:649-657.



Physician Responsibility

- Opioid risk mitigation – imperfect yet helpful
- Kernick SG. J Addict Med. 2017;11(6):417-419.
- Despite criticism, use of mitigation strategies are a common endpoint in the empirical literature
- Turner JA, et al. J Gen Intern Med. 2014;29:305-311.
Lieschutz JM, et al. JAMA Intern Med. 2017;177(9):1265-1272.
Ruff AL, et al. Subst Abuse 2017;38(2):200-204.
- Failure to take responsibility for appropriately mitigating risk has resulted in opioid analgesia being "litigated away"
- Schatman ME, et al. J Pain Res. 2019;12:649-657.



What Constitutes Sound Risk Mitigation?

- Medication agreements
 - Vary in quality and approach
 - No “perfect” agreement
 - Not a panacea, but a degree of evidence links them to better adherence, identification of those at risk for misuse

Starnels JL, et al. *Ann Intern Med.* 2010;152:712-720.

Jamison RN, et al. *J Pain.* 2016;17(4):414-423.

- Some controversies considered one-sided nature, impact on patient physician relationship

Rager JB, Schwartz PK. *Hastings Cent Rep.* 2017;47(3):24-33.

- Still considered an aspect of best practices

Ziganska AE, et al. *BMC Health Serv Res.* 2018;5:18(1):415.

Razouki Z, et al. *Pain Med.* 2018[Epub ahead of print].



Sound Risk Mitigation

- Prescription Drug Monitoring Programs (PDMPs)
 - 49 of 50 states have active PDMPs with considerable variance regarding design and regulations

Brandeis University. The Heller School for Social Policy and Management. State PDMP Websites. Available at: <http://www.brandeis.edu/centerforpublicpolicy/statepdmpwebsites>

- Only 34 states mandate prescriber use

Prescription Drug Monitoring Program Training and Technical Assistance Center. PDMP Mandatory Enrollment of Prescribers and Dispensers. Available at: http://ndmpassd.org/pdf/Mandatory_Enrollment_20180417a.pdf

- Reasonable evidence for reducing doctor-shopping, diversion, opioid morbidity and mortality, etc, if used correctly

Gugliemann H, Perrone J. *JAMA.* 2011;306(20):2258-2259.

Green TC, et al. *Pain Med.* 2012;13(10):1314-1323.

Finley EP, et al. *BMC Health Serv Res.* 2017;17(1):420.



Sound Risk Mitigation (cont'd)

- Florida – only 31% of prescribers were even registered to use the PDMP, with pharmacists more likely to consult it than physicians

Delcher C, et al. *J Opioid Manag.* 2017;13(5):283-289.

- Outcries are being made for mandatory registration and use

Haffajee RL, et al. *JAMA.* 2015;313(9):891-892.

Greenwood-Erickson MB, et al. *Ann Emerg Med.* 2016;67(6):755-764.

Ali MM, et al. *Addict Behav.* 2017;69:65-77.

Winstanley EL, et al. *Drug Alcohol Depend.* 2018;188:169-174.

- Interstate sharing of PDMP data enhances their effectiveness

Lin HC, et al. *Prev Med.* 2019;118:59-65.

- And a national PDMP...?

Soelberg CD, et al. *Anesth Analg.* 2017;125(5):1675-1681.



Sound Risk Mitigation (cont'd)

▪ Urine drug testing (UDT)

– Utility for detecting aberrancy is relatively good

Manchikanti L, et al. Pain Physician. 2006;9(2):123-129.
Mattelliano D, et al. Pain Manag Nurs. 2015;16(1):51-59.
Wiseman LK, Lynch ME. Can J Pain 2018;2(1):37-47.

– Yet rates of consistent utilization remain woefully low...

– For many years, it appeared to be linked closely to high levels of remuneration for physicians

Collen M. J Pain Palliat Care Pharmacother. 2012;26(1):13-17.

– Kickback schemes were a serious issue

Kaye AD, et al. Pain Physician. 2014;17:E559-E564.
Anson P. Pain Network News, November 4, 2015.



Sound Risk Mitigation (cont'd)

▪ Considerable disagreement between legislators, medical associations, and state medical boards on optimal approach to UDT

Schulte F. Lucas E. Kaiser Health News. Available at: <https://www.kaiserhealthnews.com/profiles-by-screening-urine-for-drugs/>

▪ Irrespective, UDT is still grossly underused in pain medicine

– Only 7% of patients prescribed opioids at an HIV clinic underwent UDT

Onen NF, et al. Pain Pract. 2012;12(6):440-448.

– 2011 study: over 1600 patients on chronic opioid therapy, only 8% underwent UDT

Starrels JL, et al. J Gen Intern Med. 2011;26(9):958-964.



Sound Risk Mitigation (cont'd)

▪ Lately seems to be getting better...but not good enough

– Recent studies indicating that about a third receiving chronic opioid therapy are receiving UDT

Chaudhary S, Compton P. Subst Abuse. 2017;38(1):95-104.
Zjenska AJ, et al. BMC Health Serv Res. 2016;16(1):415.

– Yet this is well below the "universal" UDT testing recommended by guidelines

Manchikanti L, et al. Pain Physician. 2012;15(3 Suppl):S67-116.
Hegmann KT, et al. J Occup Environ Med. 2014;56(12):e143-e159.
Dowell D, et al. MMWR Recomm Rep 2016; 65:1-49.



Sound Risk Mitigation (cont'd)

- Good news: Opioid risk reduction initiatives can make a difference in the rate of UDT utilization
 - Recent study: providers participating in such initiatives increased their UDT compliance from less than 15% to 50%, while those in control clinics increased only to 20%Sherman KJ, et al. J Am Board Fam Med. 2018;31(4):578-587.
- Thorough risk mitigation will never be “profitable” again
 - Its purposes need to be to keep patients safe...and to maintain the viability of our practicesSchatman ME, et al. J Pain Res. 2019;12:649-657.



Rapprochement

- Review of social media (particularly Twitter) – discourse is nasty between patients with pain/pain patient advocates and those they perceive to be the cause of their suffering
 - PROP
 - CDC
 - Government regulatory agencies
 - Insurers
 - Physicians
- The vitriol is helping NO ONE!



Rapprochement (cont'd)

- Yet neither are rampant false narratives!
 - Or the endless rhetoric and hyperbole...on both sides
 - Anti-opioid rhetoric and hyperbole:
 - “When we talk about opioid painkillers we are essentially talking about heroin pills,” said Dr. Andrew KolodnySmith T. Richmond Times-Dispatch, Oct 23, 2015. Available at http://www.richmond.com/le-health/rise-of-addiction-with-prescription-opioids-underestimated/article_7934099b-2741-56a1-9c0d-000119080000
 - “...we continue putting countless Americans in 'heroin prep school' each year by overprescribing opioids”
- Humphreys K. Testimony of Keith Humphreys to House Judiciary Subcommittee on Immigration and Border Security February 15, 2018 Hearing on Immigration and the Opioid Crisis. Available at <https://subcommittee.house.gov/wp-content/uploads/2018/06/Witness-Testimony-Keith-Humphreys.pdf>



Rapprochement (cont'd)

- Pro-opioid rhetoric, hyperbole, and misinformation – often found on Twitter feeds:
 - “There has never been a case of a person addicting while on long term or high dose pain medicine regimes”
Kline T. Medium. August 28, 2018. Available at <https://medium.com/@ThomasGrahamMD/ opioid-fears-are-getting-the-whole-picture-7e0721e6c3e8>
 - “There are no harms from taking pain medicines. You will not addict (if not already) and will not die (only heroin users die from “overdose deaths”)
Kline T. Medium. August 28, 2018. Available at <https://medium.com/@ThomasGrahamMD/ opioid-fears-are-getting-the-whole-picture-7e0721e6c3e8>



Rapprochement (cont'd)

- So, which group is saying things that are more dangerous?
- Anti-opioid zealots cause stigmatization and marginalization, and have driven opiophobia
- Pro-opioid zealots provide misinformation that can stop patients requiring opioid analgesia from taking their opioids seriously
- Has pain medicine devolved as has inside the Beltway?!?!
- Are “false narratives” helpful...to anyone?!?!?!?



Rapprochement (cont'd)

- But largely, key opinion leaders on both sides of the argument are reaching out to each other to find common ground
 - Much of this agreement pertains to thought leaders on all sides recognizing the physical, psychological, and especially ethical effects of involuntary opioid tapers, particularly in patients doing well
Manhapa A, Arias AJ, Ballantyne JC. Subst Abuse. 2017[Epub ahead of print].
Kertesz SG, Manhapa A. Spinal Cord Ser Cases. 2018;4:64.
Kroenke K, Argoff C, Covington E, Kertesz SG, et al. Pain Med. 2019 [Epub ahead of print].
 - This has been extremely encouraging for those of us who see rapprochement as the only viable solution to this imbroglio



Rapprochement (cont'd)

- The ultimate in rapprochement:
 - Darnall BD, et al. International stakeholder community of pain experts and leaders call for an urgent action on forced opioid tapering. Pain Med. 2018 [Epub ahead of print].
 - Over 100 signatories, including numerous pro-opioid and anti-opioid zealots... as well as many of us who've embraced moderatism
 - Starts with "We, the undersigned, stand as a unified community of stakeholders and key opinion leaders deeply concerned about forced opioid tapering in patients receiving long term prescription opioid therapy for chronic pain. This is a large-scale humanitarian issue"



Rapprochement (cont'd)

- "Regardless of one's view on the advisability of high-dose opioid therapy, every thoughtful clinician recognizes rapid tapering as a genuine threat to a large number of patients who are often medically complex and vulnerable"
- "Currently, no data exist to support forced, community-based opioid tapering to drastically low levels without exposing patients to potentially life threatening harms"
- "We therefore call for an urgent review of mandated opioid tapering policies for outpatients at every level of health care"



Rapprochement (cont'd)

- Calls on HHS to "Convene patient advisory boards at all levels of decision-making to ensure that patient-centered systems are developed and patient rights are protected within the context of pain care"
- "In standing as a unified community of concerned scientists, experts, citizens, and leaders of pain organizations in our respective countries, we call for the development and implementation of policies that are humane, compassionate, patient-centered, and evidence-based in order to minimize iatrogenic harms and protect patients taking long-term prescription opioids"
- Give Dr. Darnall a Noble Prize!!!!



Summary and Conclusions

- The prescription opioid crisis of the previous decade was indeed real, and stemmed from myriad causes
 - No single entity ought to be blamed...
- Efforts at quelling the crisis have been "too effective," resulting in a deadly swing of the pendulum from opiophilia to opiophobia and oligoanalgesia
 - Yet everyone seems to put the blame on the 2016 CDC Guideline
 - When in actuality, it's not the Guideline, but its weaponization
- Draconian laws and practices are causing direct harms to chronic pain sufferers



Summary and Conclusions (cont'd)

- State governments, medical associations, healthcare insurers, hospital corporations, and pharmacy corporations are all culpable
- Chronic pain patients are the "collateral damage" of the ongoing "opioid wars"...although physicians have been beaten up as well
- To right the pendulum, all who care about pain patients need to move away from being "pro-opioid" or "anti-opioid"
 - Let's consider becoming "pro-patient" instead...



Summary and Conclusions (cont'd)

- Physicians have an obligation to become better opioid risk mitigators
 - Patient agreements, PDMPs, and UDT are each imperfect, but if used in conjunction in a consistent manner, they indeed mitigate risk
 - Our failure to mitigate risk is a huge contributor to the current conundrum – as opioids have essentially been "litigated away"
- LET US ALL WORK TOWARD RAPPROCHEMENT!!!!
 - Let's leave the false narratives inside the Beltway...where they don't necessarily belong either



Summary and Conclusions (cont'd)

- Irrespective of one's position on opioids, should not our patients' best interests be paramount?!
- The rhetoric and hyperbole being used – by both sides – are destructive
 - Do yourself a favor and avoid Twitter!
- Recent collaborations between the sane members of both camps are so encouraging
- And many, many cheers for Beth Damall!



THANK YOU